

Alpha Style 7628/9480 BH PS

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Alpha Style 7628/9480 BH PS
Common Name: Fiberglass/ Foil Laminate with Adhesive Backing
SDS Number: 0757
Revision Date: 8/23/2023

Supplier Details: Alpha Engineered Composites LLC.
 145 Lehigh Avenue
 Lakewood, NJ 08701

Contact: Madeline Lacy
Phone: 732-634-5700
Fax: 732-634-1430
Email: sds@alphainc.com
Internet: www.alphainc.com

2 HAZARDS IDENTIFICATION

Classification of Substance

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):
 Health, Specific target organ toxicity - Single exposure, 3
 Health, Skin corrosion/irritation, 2

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **WARNING**

GHS Hazard Pictograms:



GHS Hazard Statements:

H335 - May cause respiratory irritation
 H315 - Causes skin irritation

GHS Precautionary Statements:

P264 - Wash _ thoroughly after handling.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Potential entry via inhalation of dust from machining or grinding.
Target Organs: Respiratory system
Inhalation: Dust generated during machining or grinding may cause respiratory irritation.
Skin Contact: Dust may cause irritation.
Eye Contact: Dust may cause irritation.
Ingestion: N/A

3 COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	%	Chemical Name:
65997-17-3		Fibrous Glass
7429-90-5	15-19%	Aluminum Foil
51-79-6	4-8%	Urethane Adhesive
9003-01-4	16-18.5%	Acrylic Adhesive
63394-02-5		Silicone Coated Paper

4

FIRST AID MEASURES

Inhalation:	Remove person to fresh air. If condition persists, seek medical attention.
Skin Contact:	Rinse with soap and water. If rash or itching persists, seek medical attention
Eye Contact:	Rinse with water. Seek medical attention if symptoms persist
Ingestion:	Not applicable.

5

FIRE FIGHTING MEASURES

Flash Point (Method Used): >250 °C by TOC

Extinguishing media: Dry chemical, foam, carbon dioxide (CO₂), water fog.

Unsuitable extinguishing media: None known.

Hazardous Decomposition Materials (Under Fire Conditions): Carbon monoxide, carbon dioxide, hydrogen, other undetermined compounds could be released in small quantities.

Special Fire Fighting Procedures: Fiberglass will not support combustion, but in a sustained fire, proper protection against products of combustion from the fuel and sizing/binder must be worn.

Special Protective Equipment for Fire-fighters: Full emergency equipment with self-contained breathing apparatus and full protective clothing should be worn by firefighters. Wear positive pressure self-contained breathing apparatus (SCBA) and protective fire-fighting clothing (includes helmet, coat, pants, boots, and gloves).

6

ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: No action shall be taken involving any personal risk or without suitable training. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Cleanup and Disposal of Spill: Sweep or gather up material and place in proper container for disposal or recovery. Use vacuuming or wet sweeping methods instead of dry sweeping.

7

HANDLING AND STORAGE

Handling Precautions:	Avoid contact with skin and eyes. Ensure good ventilation/exhaustion at the workplace. Wear suitable protective equipment, see Section 8.
Storage Requirements:	Use may be at temperature extremes based on product data, but storage should be at ambient temperature. Store in dry, well ventilated area.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ensure adequate ventilation, especially in confined areas. Local exhaust, dust collection. All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).

Personal Protective Equipment:

Respiratory Protection: If use or application of this product generates dust, use an appropriate NIOSH-approved particulate filter respirator.

Eye / Face Protection: Standard safety glasses with side shields.

Skin Protection: Use gloves to protect against physical irritation or injury if required by handling conditions. Cover as much of the exposed area as possible, with protective clothing. Vacuum equipment may be used to remove fibers from clothes. Work clothing should be laundered separately from other clothing before reuse

Control Parameters (Exposure Limits):

Component	Exposure limits	
	OSHA	ACGIH
Glass fiber	15 mg/m ³ TWA (total dust)	5 mg/m ³ (inhalable fraction)
	5 mg/m ³ TWA (respirable dust)	1 fiber/cm ³ TWA (respirable fraction)

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Aluminized Fabric Tape	Flammability:	No data available
Physical State:	Solid	Partition Coefficient:	No data available
Specific Gravity or Density:	2.4	Particle Size:	No data available
Boiling Point:	No data available	Viscosity:	No data available
Vapor Pressure:	No data available	Molecular Formula:	No data available
Odor:	No odor	Decomposition Temperature:	No data available
Odor Threshold:	No data available	Evaporation Rate:	No data available
Solubility:	No data available	Molecular Weight:	No data available
Freezing or Melting Point:	No data available	Vapor Density:	No data available

10

STABILITY AND REACTIVITY

Chemical Stability:	Material is stable.
Conditions to Avoid:	None known.
Materials to Avoid:	Strong oxidizing agents.
Hazardous Decomposition:	Carbon monoxide; carbon dioxide; nitrogen oxide;
Hazardous Polymerization:	Will not occur.

11

TOXICOLOGICAL INFORMATION

Acute toxicological data: There is no acute toxicological data available on this product. The oral, dermal, and inhalation acute toxicity are expected to be very low.

Information in the likely route of exposure & potential acute health effects:

Skin Irritation: Dusts from this product may cause temporary mechanical irritation to the skin.

Eye Irritation: Dusts from this product may cause temporary mechanical irritation to the eyes.

Inhalation: Dusts from this product may cause mechanical irritation of the nose, throat, and respiratory tract. Ingestion: Although ingestion is not likely to occur in industrial applications, accidental ingestion may cause irritation of the mouth and gastrointestinal tract.

Chronic Toxicity: No information available.

Delayed and immediate effects and also chronic effects from short and long-term exposure: There are no known health effects from the long term use or contact, with non-respirable fibers.

Short term exposure: No information available.

12

ECOLOGICAL INFORMATION

Ecotoxicity Effects: No information available

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility in soil: No information available

Results of PBT and vPvB assessment: No information available

Other adverse effects: Fiberglass is generally considered to be an inert solid waste. No special precautions are needed in case of a release or spill

13

DISPOSAL CONSIDERATIONS

Waste treatment methods: Waste material must be disposed of in accordance with federal, state, provincial, and local environmental control regulations.

Uncleaned packaging: Dispose of in accordance to all local, state, and/or national legislation. Empty containers should be recycled or disposed of through an approved waste management facility.

Not regulated for transport.

International Chemical Inventories: Continuous filament glass fiber products are articles. Articles are exempted from registration or listing under chemicals inventories.

INTERNATIONAL REGULATIONS:

Canadian (DSL/NDSL): Article (exempt)

Australian (ACIS): Article (exempt)

Korea (KECI): Article (exempt)

Japan (ENCS, MITI): Article (exempt)

China (IECSC): Article (exempt)

EU Directive (RoHS 3): Product is in compliance with the European Directive (EU) 2015/863 on Restriction on Hazardous Substances.

EU REACH (235, Updated 06/2023) SVHC: Product is considered compliant with Regulation EC 1907/2006 or Registration, Evaluation, Authorization and restriction of Chemicals (REACH) legislation, including REACH Annex XIV ("Authorisation List") and REACH Annex XVII ("Restricted Substances").

TSCA (Toxic Substances Control Act): All materials are listed or exempt from TSCA listing.

CERCLA (Comprehensive Emergency Response, Compensation, and Liability Act): N/A

SARA TITLE III (Superfund Amendments and Reauthorization Act): N/A

311/312 HAZARD CATEGORIES: None

Conflict Minerals (RMI): This product as formulated does not contain any of the "Conflict Minerals" originating from the Democratic Republic of the Congo or adjoining countries, which include Gold, Colombite-Tantalite (Tantalum), Casserite (Tin), and Wolframite (Tungsten).

California Proposition 65: The purpose of Proposition 65 is to notify consumers that they are being exposed to chemicals that are known to cause cancer and/or reproductive toxicity. A Proposition 65 warning does not necessarily mean a product is unsafe or in violation of any product safety standards or requirements. A company is not required to provide a warning if it can prove that the exposure to any listed chemical in the product in its normal intended use is within the "safe harbor" levels defined by state of California. As there is very little regulatory guidance to determine whether the exposure is below the "safe harbor" levels, Alpha, as well as many other manufacturers, has chosen to provide a warning based on its knowledge about the presence of one or more listed chemicals (including the update on August 11, 2023) without attempting to evaluate the level of exposure. With Alpha's products, the exposure may be negligible or well within the "no significant risk" range. However, out of an abundance of caution, Alpha has elected to place the Proposition 65 warning signs on its products. This product contains the below substances listed under the California Proposition 65 State Drinking Water and Toxic Enforcement Act, though they may not be leachable in our finished product.


Alpha Part Description	Proposition 65 Listed Substance	CAS #
7628 9480 BH PS	Methylene Diphenyl Diisocyanate (MDI)	101-68-8

The guidance above is based upon information provided by our raw material suppliers, knowledge of our products and process, and/or outside laboratory testing.

NFPA: Health = 1, Fire = 0, Reactivity = 0, Specific Hazard = None
HMIS III: Health = 1(Chronic), Fire = 0, Physical Hazard = 0
HMIS PPE: B - Safety Glasses, Gloves



HMIS	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B



Disclaimer:

This SDS is prepared from information supplied by internal references within our company. Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).