



Alpha Engineered Composites

Alpha Maritex Style #7628/9480 HT

1	PRODUCT AND COMPANY IDENTIFICATION	
Product Identifier: Common Name: SDS Number: Revision Date:	Alpha Maritex Style #7628/9480 HT Fiberglass/ Foil Laminate 0022 1/31/2018	
Supplier Details:	Alpha Engineered Composites LLC. 145 Lehigh Avenue Lakewood, NJ 08701	
Contact: Phone: Fax: Email:	Madeline Lacy 732-634-5700 732-634-1430 sds@alphainc.com	
Internet:	www.alphainc.com	

Classification of Substance

2

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Skin corrosion/irritation, 2 Health, Serious Eye Damage/Eye Irritation, 2 B Health, Specific target organ toxicity - Single exposure, 3

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING

GHS Hazard Pictograms:



GHS Hazard Statements:

H315 - Causes skin irritation

- H320 Causes eye irritation
- H335 May cause respiratory irritation

GHS Precautionary Statements:

P264 - Wash _ thoroughly after handling. P281 - Use personal protective equipment as required.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Target Organs: Inhalation:	Respiratory System Sore, raspy throat	
innalation.	Sole, laspy lilloal	
Skin Contact:	Redness and possible rash; itching	
Eye Contact:	Itching and redness	
Ingestion:	N/A	
3	COMPOSITION/INFORMATION ON INGREDIENTS	

Chemical Ingredients			
CAS#	%	Chemical Name	
65997-17-3		Fibrous Glass	
0		Aluminum Foil	
0		Urethane Adhesive	

Fibrous Glass (CAS 65997-17-3) Exposure Limits: OSHA PEL 15 mg/m3 (total), 5 mg/m3 (respirable). ACGIH TLV 1 f/cc

4 FIRST AID MEASURES

Inhalation:	Remove person to fresh air. If condition persists, seek medical attention.
Skin Contact:	Rinse with copious quantities of cool water. If rash or itching persists, seek medical attention.
Eye Contact:	Rinse with water. Do not rub eyes. Seek medical attention.
Ingestion:	Not applicable.

SDS Number: 0022

6

Flash Point (Method Used): >250 C by TOC Flammable Limits

LEL: N/A UEL: N/A

Extinguishing Media: Water, carbon dioxide, or dry chemical

Special Fire Fighting Procedures: Thermal decomposition of fiber coating may produce an irritating mixture of smoke and fumes.

Unusual Fire and Explosion Hazards: None

ACCIDENTAL RELEASE MEASURES

Material is a solid in roll form. If accidently released, rewind material back onto roll.

7	HANDLING AND STORAGE
Handling Precautions: Storage Requirements:	Use adequate material handling equipment. Store in dry place. Use may be at temperature extremes based on product data, but storage should be at ambient temperature.
8	EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:	Local exhaust; dust collection	
Personal Protective	HMIS PP, B Safety Glasses, Gloves	
Equipment:	Safety glasses; cotton gloves; long sleeve clothing	
Wash thoroughly with soap and water after handling		

9	PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Color White One Side; Aluminum Other Side			
Physical State:	Solid	Odor:	No Odor	
Specific Gravity or Density:	2.54	Solubility:	Negligible	
Boiling Point:	N/A	Freezing or Melting Point:	> 500 F	
Vapor Pressure:	N/A	Vapor Density:	N/A	
Potentia Hydrogenii:	N/A			

STABILITY AND REACTIVITY

Material is stable.
None known.
Strong oxidizing agent.
Carbon monoxide; carbon dioxide; nitrogen oxide; cyanide
Will Not Occur.

11

10

TOXICOLOGICAL INFORMATION

Direct contact with fiberglass materials or exposure to airborne fiberglass dust may irritate the skin, eyes, nose and throat. Fiberglass can cause itching due to mechanical irritation from the fibers. This is not an allergic reaction to the material. Breathing fibers may irritate the airways resulting in coughing and a scratchy throat. Some people are sensitive to the fibers, while others are not. No known hazards except for airborne fibers caused by nuisance dust. 10 milligrams per cubic meter for fiber diameters less than 7 microns.

13 DISPOSAL CONSIDERATIONS

Incineration perferred in a federal, state, or local approved facility.

14

16

TRANSPORT INFORMATION

None special required.

15 REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Fibrous Glass (65997-17-3) [n/a%] TSCA

Aluminum Foil (0) [n/a%]

Urethane Adhesive (0) [n/a%]


Regulatory CODE Descriptions

TSCA = Toxic Substances Control Act

OTHER INFORMATION

NFPA: Health = 1, Fire = 0, Reactivity = 0, Specific Hazard = None **HMIS III:** Health = 1, Fire = 0, Physical Hazard = 0

HMIS PPE: B - Safety Glasses, Gloves



Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).