



GHS Safety Data Sheet

Alpha Engineered Composites

Alpha Style 84215/9480 HT

PRODUCT AND COMPANY IDENTIFICATION

| Product Identifier: | Alpha Maritex Style 84215/9480 HT |
|---------------------|---|
| Common Name: | Fiberglass/ Foil Laminate |
| SDS Number: | 0017 |
| Revision Date: | 8/16/2023 |
| Supplier Details: | Alpha Engineered Composites LLC. 145 Lehigh Avenue Lakewood, NJ 08701 |
| Contact: | Madeline Lacy |
| Phone: | 732-634-5700 |
| Fax: | 732-634-1430 |
| Email: | sds@alphainc.com |
| Internet: | www.alphainc.com |

HAZARDS IDENTIFICATION

Classification of Substance

2

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Skin corrosion/irritation, 2 Health, Serious Eye Damage/Eye Irritation, 2 B

Health, Specific target organ toxicity - Single exposure, 3

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING

GHS Hazard Pictograms:



GHS Hazard Statements:

H315 - Causes skin irritation

H320 - Causes eye irritation

H335 - May cause respiratory irritation

GHS Precautionary Statements:

P281 - Use personal protective equipment as required.

P264 - Wash ... thoroughly after handling.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

| Route of Entry: Target Organs: | Potential entry via inhalation of dust from machining or grinding. Respiratory System |
|-----------------------------------|--|
| Inhalation: | Dust generated during machining or grinding may cause respiratory irritation. |
| Skin Contact: | Dust may cause irritation |
| Eye Contact: | Dust may cause irritation |
| Ingestion: | N/A |
| Skin Contact: Eye Contact: | Dust may cause irritation Dust may cause irritation |

3

COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Ingredients: | | |
|-----------------------|-------------------|--|
| CAS# | % Chemical Name: | |
| 65997-17-3 | Fibrous Glass | |
| - | Aluminum Foil | |
| - | Urethane Adhesive | |

FIRST AID MEASURES

Inhalation: Skin Contact: Eye Contact: Ingestion:

Δ

5

6

9

Remove person to fresh air. If condition persists, seek medical attention. Wash with soap and water. Seek medical attention if symptoms persist. Rinse with water. Seek medical attention if symptoms persist. N/A

FIRE FIGHTING MEASURES

Flash Point (Method Used): >250 °C by TOC

Extinguishing media: Dry chemical, foam, carbon dioxide (C02), water fog.

Unsuitable extinguishing media: None known.

Hazardous Decomposition Materials (Under Fire Conditions): Carbon monoxide, carbon dioxide, hydrogen, other undetermined compounds could be released in small quantities.

Special Fire Fighting Procedures: Fiberglass will not support combustion, but in a sustained fire, proper protection against products of combustion from the fuel and sizing/binder must be worn.

Special Protective Equipment for Fire-fighters: Full emergency equipment with self-contained breathing apparatus and full protective clothing should be worn by firefighters. Wear positive pressure self-contained breathing apparatus (SCBA) and protective fire-fighting clothing (includes helmet, coat, pants, boots, and gloves).

ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: No action shall be taken involving any personal risk or without suitable training. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Cleanup and Disposal of Spill: Sweep or gather up material and place in proper container for disposal or recovery. Use vacuuming or wet sweeping methods instead of dry sweeping.

7 HANDLING AND STORAGE Handling Precautions: Avoid contact with skin and eyes. Ensure good ventilation/exhaustion at the workplace. Wear suitable

Storage Requirements: Use may be at temperature extremes based on product data, but storage should be at ambient temperature.

Storage Requirements: Use may be at temperature extremes based on product data, but storage should be at ambient temperature. Store in dry, well ventilated area.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION Engineering Controls: Ensure adequate ventilation, especially in confined areas. Local exhaust, dust collection. All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Personal Protective Equipment: Respiratory Protection: If use or application of this product generates dust, use an appropriate NIOSH-approved particulate filter respirator. Eye / Face Protection: Standard safety glasses with side shields. Skin Protection: Use gloves to protect against physical irritation or injury if required by handling conditions. Cover as much of the exposed area as possible, with protective clothing. Vacuum equipment may be used to remove fibers from clothes. Work clothing should be laundered separately form other clothing before reuse.

PHYSICAL AND CHEMICAL PROPERTIES

| Physical Appearance: | Aluminized Fabric |
|---------------------------------|-----------------------|
| Physical State: | SOLID |
| Odor: | ODORLESS |
| Odor Threshold: | DNA |
| pH: Melting Point: | DNA |
| Flash Point: | >250 °C by TOC |
| Evaporation rate: | DNA |
| Flammability Limits (vol/vol%): | LOWER: N/A UPPER: N/A |
| Vapor Pressure: | DNA |
| Vapor Density: | DNA |
| Specific Gravity: | 2.54 |
| Water Solubility: | DNA |
| Partition coefficient: | DNA |
| Auto-ignition Temperature | DNA DNA |
| Decomposition Viscosity: | DINA |

STABILITY AND REACTIVITY

Chemical Stability: Conditions to Avoid:

10

11

13

Material is stable. None known.

| Materials to Avoid: | Strong oxidizing agents. |
|---------------------------|--------------------------|
| Hazardous Decomposition: | CO, CO2, HCI |
| Hazardous Polymerization: | Will not occur. |

TOXICOLOGICAL INFORMATION

Acute toxicological data: There is no acute toxicological data available on this product. The oral, dermal, and inhalation acute toxicity are expected to be very low.

Information in the likely route of exposure & potential acute health effects:

Skin Irritation: Dusts from this product may cause temporary mechanical irritation to the skin.

Eye Irritation: Dusts from this product may cause temporary mechanical irritation to the eyes.

Inhalation: Dusts from this product may cause mechanical irritation of the nose, throat, and respiratory tract. Ingestion: Although ingestion is not likely to occur in industrial applications, accidental ingestion may cause irritation of the mouth and gastrointestinal tract.

Chronic Toxicity: No information available.

Delayed and immediate effects and also chronic effects from short and long-term exposure: There are no known health effects from the long term use or contact, with non-respirable fibers.

Short term exposure: No information available.

12 ECOLOGICAL INFORMATION

Ecotoxicity Effects: No information available

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility in soil: No information available

Results of PBT and vPvB assessment: No information available

Other adverse effects: Fiberglass is generally considered to be an inert solid waste. No special precautions are needed in case of a release or spill.

DISPOSAL CONSIDERATIONS

Waste treatment methods: Waste material must be disposed of in accordance with federal, state, provincial, and local environmental control regulations.

Uncleaned packaging: Dispose of in accordance to all local, state, and/or national regislation. Empty containers should be recycled or disposed of through an approved waste management facility.

14 TRANSPORT INFORMATION

Not regulated for transport.

15 REGULATORY INFORMATION

International Chemical Inventories: Continuous filament glass fiber products are articles. Articles are exempted from registration or listing under chemicals inventories.

INTERNATIONAL REGULATIONS: Canadian (DSL/NDSL): Article (exempt) Australian (ACIS): Article (exempt) Korea (KECI): Article (exempt) Japan (ENCS, MITI): Article (exempt) China (IECSC): Article (exempt)

EU Directive (RoHS 3): Product is in compliance with the European Directive (EU) 2015/863 on Restriction on Hazardous Substances.

EU REACH (235, Updated 06/2023) SVHC: Product is considered compliant with Regulation EC 1907/2006 or Registration, Evaluation, Authorization and restriction of Chemicals (REACH) legislation, including REACH Annex XIV ("Authorisation List") and REACH Annex XVII ("Restricted Substances").

TSCA (Toxic Substances Control Act): All materials are listed or exempt from TSCA listing. CERCLA (Comprehensive Emergency Response, Compensation, and Liability Act): N/A SARA TITLE III (Superfund Amendments and Reauthorization Act): N/A 311/312 HAZARD CATEGORIES: None


Conflict Minerals: This product as formulated does not contain any of the "Conflict Minerals" originating from the Democratic Republic of the Congo or adjoining countries, which include Gold, Colombite-Tantalite (Tantalum), Casserite (Tin), and Wolframite (Tungsten).

California Proposition 65: This product does not contain chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

The guidance above is based upon information provided by our raw material suppliers, knowledge of our products and process, and/or outside laboratory testing.

16 OTHER INFORMATION

```
NFPA:Health = 2, Fire = 0, Reactivity = 0, Specific Hazard = NoneHMIS III:Health = 1, Fire = 0, Physical Hazard = 0HMIS PPE:B - Safety Glasses, Gloves
```



Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

N/A = Not Applicable NE = Not Established DNA = Does Not Apply

Revision Date: 8/16/2023